



UNITED STATES DEPARTMENT OF COMMERCE  
Patent and Trademark Office  
ASSISTANT SECRETARY OF COMMERCE AND  
COMMISSIONER OF PATENTS AND TRADEMARKS  
P.O. Box 1450  
Alexandria, VA 22313-1450

March 31, 2006  
**DARBY & DARBY P.C.**  
805 Third Avenue  
New York NY 10022

Patent No. : 6,930,095 B2  
Inventor(s) : Vadim Bichko  
Issued : August 16, 2005  
For **HEPATITIS C VIRUS CONSTRUCTS  
CHARACTERIZED BY HIGH EFFICIENCY  
REPLICATION**  
Doc. No. 0342/1H395US1

To Whom It May Concern:

The Certificate of Correction issued on April 4, 2006, issued in error, in that error(s) was made in identifying the patent number and/or keying text/corrections, i.e.:

The issue date in the heading of cofc has been incorrectly entered on SB44 form submitted by attorney. In future instances, in the heading of the cofc the patent issue date should be displayed not the filing date or the date of filing of the request for cofc.

---

Therefore, a certificate of correction will be issued to correct (supersede) the Certificate of Correction containing error(s), made during preparation of the Certificate of Correction, as noted above.

No further response is required, from applicants (attorney). However, errors discovered by attorney, other than as noted and described above, should be noted on a *copy* of the Certificate of Correction that was issued in error, accompanied by a signed transmittal letter and submitted directed to this Branch.

Antonio Johnson  
(703) 308-8331  
For Cecelia Newman, Supervisor  
Decisions & Certificates of Correction Branch  
(703) 305-8309 / 703-303-8228  
cbn